

SAFETY DATA SHEET



Date Issued : 05/12/2015
MSDS No : RapidVit Omni
Date Revised : 07/05/2018
Revision No : 2

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: RapidVit Omni

MANUFACTURER

Vitrolife Sweden AB
Web: www.vitrolife.com
 Gustaf Werners gata 2, SE-421 32
 Västra Frölunda, Sweden (visiting address).
 Box 9080, SE-400 92
 Göteborg, Sweden (postal address).
Customer Service: +46 31 721 8000

2. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYES: Can cause severe eye irritation.

SKIN: Not expected to be a skin irritant.

INGESTION: Ingestion is not considered a potential route of exposure.

INHALATION: Not expected to be an inhalation irritant.

COMMENTS: Causes a slippery surface when spilled.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Wt. % |
|---------------|-------|
| RapidVit Omni | 100 |

COMMENTS: MOPS buffered media. Media for vitrification of oocytes through to blastocyst stage embryos.

4. FIRST AID MEASURES

EYES: After initial flushing, remove any contact lenses and repeat flushing.

SKIN: Non-toxic. Rinse with water.

INGESTION: Ingestion is not considered a potential route of exposure.

INHALATION: No specific treatment is necessary since this material is not likely to be hazardous by inhalation.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Will not burn.

EXPLOSION HAZARDS: Material will not burn.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Absorb liquid, clean and dry area to prevent slipping.

7. HANDLING AND STORAGE

HANDLING: Use care in handling/storage. Use aseptic working techniques at all times.

STORAGE TEMPERATURE: +2°C (35.6°F) Minimum to +8°C (46.4°F) Maximum

Notes: Keep from freezing. Do not store at temperatures above +8°C. Close container after each use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: No special ventilation requirements.

PERSONAL PROTECTIVE EQUIPMENT

SKIN: None

RESPIRATORY: None

OTHER USE PRECAUTIONS: None

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: None

COLOR: Colorless

FLASH POINT AND METHOD: Not Applicable

AUTOIGNITION TEMPERATURE: Not Applicable

10. STABILITY AND REACTIVITY

STABILITY: Stable.

11. TOXICOLOGICAL INFORMATION

COMMENTS: No information available.

12. ECOLOGICAL INFORMATION

COMMENTS: No information available.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PRIMARY HAZARD CLASS/DIVISION: Non-Hazardous

LABEL: RapidVit Omni

OTHER SHIPPING INFORMATION: Cool packs needed for transportation.

15. REGULATORY INFORMATION

COMMENTS No information available.

16. OTHER INFORMATION

APPROVED BY: Hans Lehman **TITLE:** QA Manager

Date Revised: 07/05/2018

INFORMATION CONTACT: Dr A-H Jakobsson

REVISION SUMMARY: This SDS replaces the 07/05/2018 SDS.

ADDITIONAL MSDS INFORMATION: The data in this Safety Data Sheet relates only to the specific material designated herein.

MANUFACTURER DISCLAIMER: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Vitrolife Sweden AB. The data on this sheet are related only to the specific material designated herein. Vitrolife Sweden AB assumes no legal responsibility for use or reliance upon these data.